

James G. Brooks, Jr., M.D.
Diplomate of American Board
Of Orthopaedic Surgery

Paul D. Saadi, M.D.
Diplomate of American Board
Of Orthopaedic Surgery



ORTHOPAEDIC AND RECONSTRUCTIVE SURGERY
www.dallasboneandjoint.com

Doctors Hospital
9330 Poppy Dr. • Suite 300
Dallas, TX 75218-3699

Medical City Dallas
7777 Forest Ln. • Suite C-500
Dallas, TX 75230

(214) 324-2471
(214) 324-1734 Fax

Discharge Instructions Shoulder Arthroscopy Paul D. Saadi, M.D.

Activity:

- Apply ice to the shoulder 20 minutes every 3-4 hours for 2 days
- Maintain sling to support the arm
- You may release the sling at the wrist to bend and straighten the elbow and wrist 2 times per day for 5 minutes

Pain Management:

- Use prescription pain medicine as directed initially (usually required for 3-4 days)
- Begin weaning off during the day first, later at night
- May supplement with Motrin/Advil or Tylenol as needed
- Activity restriction and ice is also of great benefit

Diet:

- Liquids or light food may be taken initially
- Advance to normal as tolerated if nausea is not present

Wound Care:

- After 3 days, remove dressings and showering may begin
- Cover the wounds with Band-Aids

Follow-up Office Visit:

- Call the office the next business day at 214 324-2471
- Schedule an appointment for 7-10 days from surgery date

Call your doctor if:

- Fever develops to 101
- Uncontrolled nausea or vomiting
- Excessive bleeding or drainage (pus) (mild bleeding is normal)